

GEOMETRIC NON-COERCION

GEOMETRIC NON-COERCION

Ultra-Slow Matter, Fractal Geometry, and the Science of Patience

By Sum Bunny

2026

ARK HIVE PRESS

OPEN THROTTLE
CC BY 4.0

YOU ARE FREE

to share and adapt the material for any purpose,
even commercially, as long as appropriate credit is given.

GEOMETRIC NON-COERCION

Ultra-Slow Matter, Fractal Geometry, and the Science of Patience

By Sum Bunny

Abstract Certain materials deform so slowly that their motion is imperceptible on human timescales, yet accumulates measurably over decades. The pitch drop experiment is the canonical example. This paper argues that such systems occupy a distinct dynamical regime: bounded in total displacement, smooth at every finite time, yet unstable in geometric regularity in the infinite-time limit. We propose that in this regime, matter functions as a **physical archive**. We introduce a **Non-Coercion Phase Diagram** identifying a transition where surface tension fails to suppress the accumulation of structural history. We define **Geometric Memory Capacity**, arguing that ultra-slow matter stores **path-dependent information** not in bits or states, but in the growth of derivatives—meaning that **roughness is memory**. We outline an experimental program to read these geometric archives and propose the design of "Century Instruments" to study physics beyond the horizon of human forgetting.

I. The Experiment That Became a Sculpture

In a quiet room at the University of Queensland, a funnel of black pitch has been dripping into a glass beaker for nearly a century. Most years, nothing happens. Once every decade or so, a single drop falls.

It is called an experiment. It is also, unmistakably, a sculpture.

The apparatus sits under glass. Visitors gather around it as they would a painting. Cameras watch it continuously. No one has ever seen a drop fall in real time. The moment always occurs between frames, between glances, between generations.

The pitch drop experiment measures viscosity. It also measures patience. It records material flow, and at the same time records the mismatch between human attention and material time.

Most experiments vanish when the grant ends. This one endured because its aesthetic legibility became part of its experimental infrastructure. And in doing so, it revealed something deeper: a physical regime modern science barely observes at all.

Pitch looks solid. It fractures under impact. Yet it flows continuously. Locally, rigid. Globally, liquid. This paradox is the signature of an entire class of **ultra-slow dynamical systems**, whose instantaneous behavior is negligible, but whose infinite-time accumulation produces macroscopic geometric complexity.

II. The Physics of Ultra-Slow Flow

From the standpoint of continuum mechanics, the timescale reveals a conflict between competing restoration forces.

In ordinary Newtonian fluids, **surface tension** is a coercive force. It acts as a smoothing operator, erasing irregularities. If pitch were a simple fluid, gravity would pull it down, and surface tension would keep it smooth.

But in **complex fluids, glassy materials, and filled polymers**, a different mechanic dominates: **structural arrest.** The material contains **quenched micro-structural disorder**—entangled chains or colloidal jams frozen on the timescale of deformation.

The Diffusion Limit

A critical requirement for geometric memory is that **advective transport dominates the effective structural diffusivity**at the length scale L of interest. We assume the system operates at high Péclet number:

$$Pe = D_{eff} UL \gg 1$$

While the flow velocity U is minute, the extreme viscosity and arrested microstructure suppress D_{eff} sufficiently to preserve correlations over decadal timescales. Even allowing for Stokes–Einstein decoupling in glassy regimes, the requirement is operational: D_{eff} must be small enough that diffusion does not erase the geometric archive during the experiment. Here U and L are taken at the **observational scale** of the geometric features being tracked (e.g., local shear-band velocity and interface wavelength), so the Péclet criterion is evaluated locally rather than via bulk drop speed.

The Non-Coercion Phase Diagram

We propose a phase space parameterized by two dimensionless variables:

1. **Relaxation Strength ($s-1$):** The rate at which the material damps out deformations (effective smoothing).
2. **Complexity Growth (γ):** The rate at which internal structural frequencies propagate to higher scales.

This yields three distinct regimes:

- **Regime I: Viscous Smoothing ($\gamma \ll s$):** Surface tension dominates. The interface remains smooth (C1). This is the regime of **forgetting**—disturbances are erased.
- **Regime II: The Critical Point ($\gamma \approx s$):** The boundary of stability.
- **Regime III: Geometric Non-Coercion ($\gamma > s$):** Structural disorder accumulates faster than relaxation can smooth it.

In Regime III, characterized by **near-yield, subcritical creep**, the material exhibits **Geometric Aging**: its effective fractal dimension increases over time. The "roughness" of the molecular arrangement is carried up to the macroscopic scale.

We additionally require that microstructural coarsening or Ostwald ripening processes are either negligible on the observation window or explicitly measured as part of the memory budget.

III. Iterated Deformation and the Fractal Threshold

This physical behavior admits a precise mathematical analogue via **Iterated Metric Deformation (IMD)**.

Let $A \subset R3$ be a bounded domain. Define a sequence of deformation maps $\{\Phi n\}$ by:

$$\Phi n+1\ (x)=\Phi n\ (x)+\lambda s-nW(\gamma n\Phi n\ (x))$$

where $W:R3 \rightarrow R3$ represents the **quenched disorder** as a vector field.

Because the series $\sum s-n$ converges, total displacement is bounded. The material does not explode. However, the derivative behaves differently. If $\gamma \geq s$, the Jacobian product diverges.

The Micro-Folding Limit

We note that in the non-coercive regime ($\gamma > s$), the cumulative shear eventually leads to a local inversion of the Jacobian determinant ($\det(D\Phi) < 0$). Physically, this represents the onset of **micro-folding** or **Lagrangian mixing**, a hallmark of fluid behavior at small scales. **Beyond this regime, geometric memory is partially converted into topological mixing.**

In the **linearized approximation** (where material self-intersections are neglected and cumulative strain is small), the limit map becomes **nowhere differentiable**. Embedded level sets generically acquire fractal geometry with Hausdorff dimension:

$$DH = 3-\log\gamma\log s$$

This constitutes a **geometric phase transition**: from smooth manifolds to fractal hypersurfaces.

IV. Geometric Non-Coercion and Memory

Most physical theories assume **coercion**—that diffusion or energy minimization will eventually enforce smoothness. The iterated deformation framework describes the opposite.

Definition (Geometric Non-Coercion):

A deformation process is geometrically non-coercive if the total displacement is bounded and local dynamics remain smooth at finite times, yet **no uniform bound constrains derivative growth**.

The Archive of Shape

This implies that ultra-slow materials store information. We define the **Geometric Memory Capacity** M(t) as the accumulated geometric work:

$$M(t)=\int_0^t \|\nabla \Phi_\tau\| d\tau$$

Crucially, this memory is **kinematic (strain-based), not dynamic (stress-based)**. We assume the relevant Deborah number satisfies:

$$De=T\tau \lesssim 1$$

on observational scales, so elastic stress relaxes faster than geometric complexity accumulates, preventing fracture despite unbounded derivative growth.

We emphasize that we use "memory" in the **precise dynamical systems sense of path-dependent state evolution**, not semantic encoding. **Geometric memory is therefore a functional on deformation paths, not on configurations.** Two samples with identical macroscopic displacement but different deformation histories will generically exhibit different roughness spectra and derivative fields. The geometry therefore encodes history even when configuration does not.

This mechanism is distinct from entropic degradation. **Thermal entropy maximization erases correlations; geometric memory preserves correlations across scales.**

In coercive systems (standard fluids), M(t) dissipates. Surface tension wipes the slate clean. In non-coercive systems, M(t) grows monotonically. The material does not merely deform; it *remembers* the path of its deformation through the roughening of its internal interfaces.

This leads to the central thesis of our framework: **Smoothness is enforced amnesia. Roughness is memory.**

Classical continuum mechanics is built to suppress derivative growth. It assumes that eventually, the system will "relax" to a simple state. Ultra-slow complex matter violates this assumption. It preserves infinitesimal heterogeneity long enough for it to accumulate into macroscopic structure. The universe is allowed to keep its scars. Fractality is not instability; it is **memory rendered visible.**

V. Experimental Architecture

The pitch drop experiment demonstrates that ultra-slow flow exists. It does not resolve its geometry. To read these physical archives, spatial structure must be measured directly.

Design Requirements

- **Materials:** Filled polymer melts or bitumen analogues where the microstructure scale $\ell_\mu \gtrsim \ell_c$ (capillary smoothing scale), ensuring structural features are large enough to resist surface tension.
- **Differential Measurement:** Internal reference frames to subtract seismic noise.

Limits and Predictions

The growth of fractal dimension must eventually saturate at the microstructural cutoff scale (e.g., the particle or molecular limit), providing a physical upper bound on geometric memory. Consequently, **Geometric Memory Capacity is finite but potentially enormous.**

In some materials, the non-coercive regime may express itself via intermittency and shear banding; our geometric observables are designed to capture both smooth roughening and localized memory deposition.

We predict a falsifiable scaling law for the variance of the strain gradient:

$$\mathrm{Var}(\nabla u) \sim t^{\beta}$$

for some exponent $\beta > 0$ depending on the material class. Furthermore, we predict that the fractal dimension $D_H(t)$ will asymptotically approach $D_\infty = 3 - \alpha$. **Observation of this behavior would constitute direct evidence that the material is physically recording its own history in its geometry.**

VI. Conclusion — The Century Instrument

The pitch drop experiment is often described as slow. It is not slow. It is correctly timed. It reveals a domain of physics normally erased by human schedules.

Iterated deformation theory supplies the mathematics of this regime. Geometric non-coercion supplies its principle. Together they describe matter that accumulates structure without explosion and remembers perturbations without instability.

Optimization destroys geometric memory. Efficiency smooths out the path. To study these systems, we must build instruments that reject efficiency in favor of persistence.

We propose a new class of object: **The Century Instrument.** An experiment that outlives its builders. A laboratory that becomes an archive. Where matter slowly writes its autobiography, and where geometry, free from coercion, is allowed to become what it becomes.

Epilogue — The Open Laboratory

The physics described here does not require extreme conditions. It requires time.

This makes ultra-slow experiments uniquely suitable for collaboration with artists—not as illustrators, but as co-designers of the instrument itself.

Universities can host standing experiments where students graduate, but the deformation continues. **Museums** can host them as time-based artworks that are also rigorous physics experiments. **Distributed Science** can run parallel cells in garages and studios, creating a planetary archive of ultra-slow geometry.

This is not art communicating science. It is art extending the lifespan of science. Most experiments end. These are meant to continue. Long after we are gone, someone will notice the surface is rougher than it used to be. That observation will still be science. And it will still be art.

First edition published on the Internet Archive, 2026.
Part of the Sum Bunny Canon (Ark Hive Press).

This was written through a collaboration between a human author and AI systems acting as analytical tools. The machines provided structure; the human provided judgment. Nothing appears here that the author did not personally create, refine, choose, and claim.

HEY JOSIANE,
LET'S PUT SOME TAR IN A JAR!
SUM BUNNY LOVES YOU!!!

FREE FLASH